

IAP17 Rec'd PCT/PTO 28 APR 2006

DESCRIPTION

Method for the preparation of fermented dry or semi-dried, meat products, with partial substitution of the animal fat and direct incorporation of olive oil

The present invention relates to a method of production for dry or semi-dry fermented meat products, with direct incorporation of olive oil, with the following principal characteristics:

- 5 1. the use of olive oil replacing part of the added animal fat
2. the use of fatless skeletal (bone and muscle) tissue.
3. the implementation of the appropriate technological procedures and processes
10 in order to:
 - Achieve a solid meat paste of stable composition and structure, capable of being subjected to a fermentation process followed by dehydration (drying), with the purpose of incorporating olive oil and the stable composition of that.
 - Achieve the maximum possible keep ability of the organoleptic, physical, chemical, and nutritional characteristics of the differentiating distinguished
15 factor (said olive oil).

20 The fermenting process products (dry meat products: air-cured, sujuk sausages, etc) after stuffing in to synthetic or natural casings, they are subjected to the appropriate dehydration in natural or artificial environment, and, possibly, to smoking. The partial fermentation process products (semi-dry products: beer salami - beerwurst, etc), after being subjected to partial fermentation in appropriate environment, they are, subsequently, subjected to heat treatment and, possibly, to smoking.

25 The meat products of this category are characterized by two technological features, the fermentation and the dehydration (loss of water up to a certain percentage). Both characteristics play an important role in the conservation & preservation of these products, as well as in their quality, since the organoleptic properties (taste, flavour, odour, colour, consistency) and the shearing depend on these processes.

30 The dry products form a distinct category of products with defined structure and composition, which has been accepted by the consumers for their fatty appearance, their spicy taste and their particular flavour.

35 Nowadays, the increasing needs for wholesome, healthy nutrition & diet and the consumers' wish to enjoy low-fat products became the starting point for the research aiming to produce dry or semi-dry meat products with the addition of vegetable fats (olive oil) and the decrease of the added animal fat.

40 The fermentation of the dry products is, basically, a biological phenomenon, i.e. it is due to the growth and activity of various micro-organisms. There are micro organisms (Lactobacillus, Staphylococcus, Micrococcus), which are useful or necessary for the fermentation process of the meat mass. On the other hand and there are such pseudomonadaceae, enterobacteriaceae, which are harmful, because they cause alteration or severe changes in the properties of the product or they are pathogenic to humans. The decrease of the pH < 5 of the product, which is obtained by decrease of
45 the humidity of the meat mass (dehydration) prevent the growth of the non-desirable micro-organisms.

5 The incorporation of oil, in comparison with the traditional addition of pork fat, since this is attempted with the use of conventional techniques, it is presented with instability problems or there is a destabilization tendency not only of the meat mass, but also of the final product, which usually presents the phenomenon of oily extractions.

10 Until now, the patented researches and applications in the meat industry concerned meat-based products and the incorporation of olive oil in these, due to heat treatment. For these products, a different flowchart is followed and the products are subjected to heat treatment during which the pasteurisation and the denaturation of the proteins are the most significant factors for the stability of the final product.

15 There are, also, known patented techniques of indirect incorporation of vegetable fats. However, these techniques include a preliminary heat treatment procedure at temperature levels of 100 °C.

20 Especially in the case of olive oil, the role of which in the human nutrition is distinct between the seed oils and other vegetable oils, as well as internationally acknowledged for the beneficial characteristics of its individual natural compounds (reference is made to the Omega fatty acids and their protective role, the low cholesterol and polyphenols and their role), with the cold mixing the olive oil conserves its beneficial characteristics unaltered.

25 It is considered appropriate on one hand, the admixing of the olive oil as an ingredient replacing part of the animal fat, in fermented or in partial fermented process products, to be carried out under particularly protective conditions, so as to ensure the maximum possible transfer of the properties to the host product.

30 On the other hand, with the process of incorporation of the olive oil, to ensure the traditional technique for producing dry or semi-dry meat products, where scientific data will be taken systematically into consideration. These data are based on the properties of the proteins of the meat and the olive oil, and on the properties of their mixture based on the individual properties of the said ingredients.

35 It should be taken into consideration that the stability of the meat products is influenced significantly by:

- The pH of the meat paste (initial pH and the decrease rate of this)
- The initial microbiological load of the meat paste
- 40 ▪ The origin and the composition of the fat to be incorporated in the product
- The physical and chemical properties, such as
 - the profile of the fatty acids (type and degree of saturation)
 - the SFI (solid fat index)
 - the PUFA (polyunsaturated fatty acids), MUFA (monounsaturated fatty acids) / SFA (saturated fatty acids) ratio at the applied temperatures in the various production phases

45 It is evident that, from a technological point of view, the differences between pork fat and olive oil should be taking into consideration in the preparation of a stable meat paste during the products' maturing and dehydration phases.

Olive oil is a low pH product, which does not hinder the fermenting of the product; on the contrary, it contributes to the acceleration of the dehydration since it causes denaturation of the meat's proteins leading to humidity elimination. Nevertheless, the excessive quantity of olive oil has negative results, due to the fact that it causes rapid
5 decrease of the pH and fast denaturation of the proteins, which obstructs the creation of a lattice between the extracted muscular albumen and the fat on which depend the consistency and the shearing capacity of the final product.

- 10 The olive oil is a product with minimum number of microbial growth (bacteria); due to its low acidity and its low water activity (available water - aw), it does not allow the development of micro-organisms. This fact contributes to the fermenting of the products because it does not affect the initial number of micro-organisms of the meat paste and, thus, the competitive non-desirable microbial growth.
- 15 The characteristics of the dry or semi-dry products with admixture of olive oil require incorporation of the olive oil under specific conditions:

- 20 - in generating the maximum possible incorporation of the oil by means of mechanical processes (mixing, homogenisation of the participating compounds)
- 25 - in the calculation of the ideal quantitative ratio between these compounds, in order to ensure the maximum possible adsorption and conservation of the oil in the product, in parallel with the creation of the appropriate physical and chemical conditions that will allow for the proper maturing of the products, the stability and the shearing capacity of the final product. The calculated quantity of added fat must not exceed 10%.
- 30 - in the creation of the appropriate fermenting and dehydration conditions that will contribute to the proper dehydration of the meat mass with the mixed olive oil and to the proper fermentation of the products, with the development of the desirable micro-organisms.

Thus, the present invention provides a method for producing fermented dry meat products with direct incorporation of olive oil:

- 35 Meat at a temperature of -4 °C is mixed with the starter culture (of desirable micro-organisms), sugars, seasonings (e.g. oregano, pepper, paprika, spice) and the auxiliary salts (e.g. salt, nitrates, ascorbate salt) in the mixer. When the temperature of the mixture rises to -2 °C, the olive oil and the quantity of fat are added in it. The mixing continues till the desirable meat - fat grain is achieved. The mixture is, then, led to a stuffing machine where it is stuffed in casings under vacuum conditions (1000 mbar) and with a power demand of 7 kW.
- 40 Subsequently, it is led to the maturation chamber. These special chambers are equipped with automatic systems for the control and regulation of the relative humidity and temperature. During the first days, the relative humidity varies between 45 95% and 80%, at a temperature from 25 to 20 °C and the velocity of the air is 0,5-0,8 m/sec. The fermenting of the product lasts for a period of some weeks to a few months, depending on the diameter of the product. After that, the meat products (sausages, etc) are transferred to special dehydration chambers. They remain in these

chambers until they have undergone the desirable dehydration, their colour is stabilised and the desirable odour and flavour are developed. The relative humidity in these chambers is 80-75 %, the temperature is 12-17 °C and the velocity of the air is 0,5-0,1 m/sec.

5

And a method for producing fermented semi-dry meat products with direct incorporation of olive oil:

Meat at a temperature of -4 °C is mixed with the starter culture (of desirable micro-organisms), sugars, seasonings (e.g. oregano, pepper, paprika, spice) and the auxiliary

10 salts (e.g. salt, nitrates, ascorbate salt) in a mixer. When the temperature of the mixture rises to -2 °C, the olive oil and the quantity of fat are added in it. The mixing continues till the desirable meat - fat grain is achieved. The mixture is, then, led to a stuffing machine where it is stuffed in casings under vacuum conditions (1000 mbar) and with a power demand of 7 kW.

15 Subsequently, it is led to the maturation chamber. These special chambers are equipped with automatic systems for the control and regulation of the relative humidity and temperature. The relative humidity varies between 75% and 60%, at a temperature from 25 to 30 °C and the velocity of the air is 0,5-0,8 m/sec. The fermenting of the product lasts from 24 to 30 hours. Then the meat products

20 (sausages, etc) are heated at core temperature of 55 °C. The duration of the heat treatment varies between 0,5 and 2 hours and depends on the diameter of the products. After that, the meat products are transferred to special dehydration chambers. They remain in these chambers until they have undergone the desirable

25 dehydration, their colour is stabilised and the desirable odour and flavour are developed. The relative humidity in these chambers is 80-75 %, the temperature is 12-17 °C and the velocity of the air is 0,5-0,1 m/sec.

The dry or semi-dry meat products with olive oil, which are produced according to the present invention, have excellent stability from a structure point of view

30 (consistency) due to the use of fatless, lean meat, the application of low temperatures and their preparation under vacuum conditions. The physical and chemical characteristics of the olive oil contained in these products remain unaltered, due to low temperatures applied during the production process.

CLAIMS**Method for the preparation of fermented dry or semi-dried, meat products, with partial substitution of the animal fat and direct incorporation of olive oil**

1. Method for the preparation of fermenting process products, characterized in
5 that olive oil is incorporated (mixed) replacing the animal fat

This method includes to following phases:
 - (a) Meat at -4 °C is mixed with salt, sugars, preservatives, auxiliary salts
10 and cultures
 - (b) Then, the oil and the fat are added in the mixture
 - (c) Mixing till the desirable meat and fat grain is achieved
 - (d) Subsequently, the mixture is led to stuffing machines, where it is
15 stuffed in casings under vacuum conditions (1000 mbar)
 - (e) The products are led to maturation chambers with adjustable relative
humidity 95-80%, temperature of 25-20 °C and air velocity 0,5-0,8 m/sec.
The time of stay in the maturation chamber depends on the size of the
20 product.
 - (f) After that, the products are led to a dehydration chamber with
adjustable relative humidity 80-75%, temperature of 12-17 °C and air
velocity 0,5-0,1 m/sec.
- 25 2. The fermenting process products with incorporated olive oil, which are produced according to claim (1)
- 30 3. Method for the preparation of partial fermenting process products, characterized in that olive oil is incorporated (mixed) in these, according to the claim (1), with replacement of the phases (e) and (f) by the phases (e') and (f')
 - (e') The products are led to a maturation chamber with adjustable relative
35 humidity 60-75%, temperature of 25-30 °C and air velocity 0,5-0,8 m/sec.
The fermentation lasts 24 hours.
 - (f') After that, the products are heated at core temperature of 55 °C and are led to the dehydration chamber with adjustable relative humidity 80-75%,
temperature of 12-17 °C and air velocity 0,5-0,1 m/sec.
- 40 4. The partial fermenting process products with incorporated olive oil, which are produced according to claims (1), (2) and (3).

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GR2004/000050

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A23L1/314 A23L1/317 A23L1/318

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, BIOSIS, WPI Data, PAJ, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	BLOUKAS J G ET AL: "Effect of replacing pork backfat with olive oil on processing and quality characteristics of fermented sausages" MEAT SCIENCE, vol. 45, no. 2, 1997, pages 133-144, XP002311510 ISSN: 0309-1740 Y page 134 - page 136 page 137 - page 143	1,2,4
Y	----- -/-	1-4

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the International filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the International search report
10 January 2005	26/01/2005
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Krajewski, D

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GR2004/000050

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	VURAL H: "Effect of replacing beef fat and tail fat with interesterified plant oil on quality characteristics of Turkish semi-dry fermented sausages." EUROPEAN FOOD RESEARCH AND TECHNOLOGY, vol. 217, no. 2, August 2003 (2003-08), pages 100-103, XP002311511 ISSN: 1438-2377	3, 4
A	paragraphs 'SAUSAGE!', 'FORMULATION!', 'AND!', 'PROCESSING!'	1, 2
Y	US 2003/049364 A1 (DOMAZAKIS EMMANOUIL) 13 March 2003 (2003-03-13) paragraphs '0001! - '0007!, '0012!, '0019! - '0039!	1-4
X	SEVERINI CARLA ET AL: "Partial substitution of pork backfat with extra-virgin olive oil in 'salami' products: Effects on chemical, physical and sensorial quality." MEAT SCIENCE, vol. 64, no. 3, July 2003 (2003-07), pages 323-331, XP002311512 ISSN: 0309-1740 paragraphs '0001!, '02.1!, '0003!	1, 2, 4
A	US 5 238 701 A (DUBANCHET ANDRE) 24 August 1993 (1993-08-24) column 2, line 8 - line 38; claims 1, 5, 7	1-4

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GR2004/000050

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
US 2003049364	A1	13-03-2003	GR AT CA DE EP WO JP	1003784 B1 277529 T 2438543 A1 60106093 D1 1361804 A1 02065860 A1 2004518441 T		30-01-2002 15-10-2004 29-08-2002 04-11-2004 19-11-2003 29-08-2002 24-06-2004
US 5238701	A	24-08-1993	FR CA	2608900 A1 1278455 C		01-07-1988 02-01-1991

ABSTRACT

Method for the preparation of fermented dry or semi-dried meat products, with substitution of the animal fat and direct incorporation of olive oil. Method for the preparation fermented dry or semi-dried meat products, with direct incorporation of olive oil. The said method includes the following phases: (1) mixing of the meat with cultures, sugars, preservatives and auxiliary salts, (b) admixture of olive oil and fat, (c) mixing until the desirable meat-fat grain is achieved, (d) stuffing of the meat paste in casings, (e) fermenting of the product in a chamber with relative humidity 95-80% and temperature of 25-20°C, (f) dehydration in a chamber 10 with relative humidity 80-75% and temperature 12-17°C. For the partial fermenting process products, the stages (e) and (f) are modified as follows: (e') fermenting of the product in a chamber with relative humidity 75-60% and temperature of 25-30°C for 24-30 hours, (f') heating of the product up to core temperature of 55°C and dehydration with relative humidity 75-80% and temperature of 12-17°C. The fermented dry and semi-dried meat products with direct incorporation of olive oil, which are produced according to this method, have excellent stability from a structure point of view (consistency) and keep the physical and chemical characteristics of the olive oil.